

REFERENCES

- (1) Manfredini D, Castroflorio T, Perinetti G, Guarda-Nardini L. Dental occlusion, body posture and temporomandibular disorders: where we are now and where we are heading for. *J Oral Rehabil* 2012;39(6):463-471.
- (2) Cuccia A, Caradonna C. The relationship between the stomatognathic system and body posture. *Clinics* 2009;64(1):61-66.
- (3) Duarte M, Zatsiorsky VM. Effects of body lean and visual information on the equilibrium maintenance during stance. *Experimental Brain Research* 2002;146(1):60-69.
- (4) Rizo AMH, Cabello MA, Pozo FP, Carrasco AL. La postura del segmento craneocervical y su relación con la oclusión dental y la aplicación de ortodoncia: estudio de revisión. *Osteopatía científica* 2010;5(3):89-96.
- (5) Guaglio G. *Ortodonzia dinamica e ripristino delle funzioni*. Perugia: Euroedizioni srl 2003.
- (6) Kim P, Sarauw MT, Sonnesen L. Cervical vertebral column morphology and head posture in preorthodontic patients with anterior open bite. *American Journal of Orthodontics and Dentofacial Orthopedics* 2014;145(3):359-366.
- (7) Solow B, Sonnesen L. Head posture and malocclusions. *Eur J Orthod* 1998 Dec;20(6):685-693.
- (8) Proffit WR, Fields Jr HW, Sarver DM. *Contemporary orthodontics*. : Elsevier Health Sciences; 2014.
- (9) Silvestrini-Biavati A, Migliorati M, Demarziani E, Tecco S, Silvestrini-Biavati P, Polimeni A, et al. Clinical association between teeth malocclusions, wrong posture and ocular convergence disorders: an epidemiological investigation on primary school children. *BMC pediatrics* 2013;13(1):1.
- (10) Michelotti A, Buonocore G, Manzo P, Pellegrino G, Farella M. Dental occlusion and posture: an overview. *Progress in orthodontics* 2011;12(1):53-58.
- (11) Rocabado M. Biomechanical relationship of the cranial, cervical, and hyoid regions. *J Craniomandibular Pract* 1983 Jun-Aug;1(3):61-66.
- (12) Motoyoshi M, Shimazaki T, Hosoi K, Wada M, Namura S. Stresses on the cervical column associated with vertical occlusal alteration. *Eur J Orthod* 2003 Apr;25(2):135-138.
- (13) Gadotti I, Berzin F, BIASOTTO-GONZALEZ D. Preliminary rapport on head posture and muscle activity in subjects with class I and II. *J Oral Rehabil* 2005;32(11):794-799.
- (14) Solow B, Sandham A. Crano-cervical posture: a factor in the development and function of the dentofacial structures. *Eur J Orthod* 2002 Oct;24(5):447-456.
- (15) SOLOW B, KREIBORG S. Soft-tissue stretching: a possible control factor in craniofacial morphogenesis. *Eur J Oral Sci* 1977;85(6):505-507.
- (16) Solow B, Tallgren A. Head posture and craniofacial morphology. *Am J Phys Anthropol* 1976;44(3):417-435.
- (17) Solow B, Siersbaek-Nielsen S. Growth changes in head posture related to craniofacial development. *Am J Orthod* 1986;89(2):132-140.
- (18) Wenzel A, Hojensgaard E, Henriksen JM. Craniofacial morphology and head posture in children with asthma and perennial rhinitis. *Eur J Orthod* 1985 May;7(2):83-92.
- (19) Pachì F, Turla R, Checchi AP. Head posture and lower arch dental crowding. *Angle Orthod* 2009;79(5):873-879.

- (20) Archer SY, Vig PS. Effects of head position on intraoral pressures in Class I and Class II adults. *Am J Orthod* 1985;87(4):311-318.
- (21) Hellsing E, L'Estrange P. Changes in lip pressure following extension and flexion of the head and at changed mode of breathing. *American Journal of Orthodontics and Dentofacial Orthopedics* 1987;91(4):286-294.
- (22) Gomes Lde C, Horta KO, Goncalves JR, Santos-Pinto AD. Systematic review: craniocervical posture and craniofacial morphology. *Eur J Orthod* 2014 Feb;36(1):55-66.
- (23) Arntsen T, Sonnesen L. Cervical vertebral column morphology related to craniofacial morphology and head posture in preorthodontic children with Class II malocclusion and horizontal maxillary overjet. *American Journal of Orthodontics and Dentofacial Orthopedics* 2011;140(1):e1-e7.
- (24) Sonnesen L, Kjaer I. Cervical vertebral body fusions in patients with skeletal deep bite. *Eur J Orthod* 2007 Oct;29(5):464-470.
- (25) Korbmacher H, Eggers-Stroeder G, Koch L, Kahl-Nieke B. Correlations between anomalies of the dentition and pathologies of the locomotor system—a literature review. *Journal of Orofacial Orthopedics/Fortschritte der Kieferorthopädie* 2004;65(3):190-203.
- (26) Lippold C, Danesh G, Schilgen M, Drerup B, Hackenberg L. Relationship between thoracic, lordotic, and pelvic inclination and craniofacial morphology in adults. *Angle Orthod* 2006;76(5):779-785.
- (27) Huggare J. The first cervical vertebra as an indicator of mandibular growth. *Eur J Orthod* 1989 Feb;11(1):10-16.
- (28) Lippold C, Danesh G, Hoppe G, Drerup B, Hackenberg L. Sagittal spinal posture in relation to craniofacial morphology. *Angle Orthod* 2006;76(4):625-631.
- (29) Sonnesen L, Pedersen CE, Kjaer I. Cervical column morphology related to head posture, cranial base angle, and condylar malformation. *Eur J Orthod* 2007 Aug;29(4):398-403.
- (30) Sonnesen L, Kjaer I. Cervical column morphology in patients with skeletal open bite. *Orthodontics & craniofacial research* 2008;11(1):17-23.
- (31) Gjorup H, Sonnesen L, Beck-Nielsen SS, Haubek D. Upper spine morphology in hypophosphatemic rickets and healthy controls: a radiographic study. *Eur J Orthod* 2014 Apr;36(2):217-225.
- (32) Datana S, Bhalla A, Kumar P, Roy SK, Londhe S. Comparative Evaluation of Prevalence of Upper Cervical Vertebrae Anomalies in Cleft Lip/Palate Patients: A Retrospective Study. *International journal of clinical pediatric dentistry* 2014;7(3):168.
- (33) Segatto E, Segatto A, Braunitzer G, Kirschneck C, Fanganel J, Danesh G, et al. Craniofacial and cervical morphology related to sagittal spinal posture in children and adolescents. *Biomed Res Int* 2014;2014:638238.
- (34) Burwell R. Aetiology of idiopathic scoliosis: current concepts. *Pediatr Rehabil* 2003;6(3-4):137-170.
- (35) Nerder PH, Bakke M, Solow B. The functional shift of the mandible in unilateral posterior crossbite and the adaptation of the temporomandibular joints: a pilot study. *Eur J Orthod* 1999 Apr;21(2):155-166.
- (36) Pinto AS, Buschang PH, Throckmorton GS, Chen P. Morphological and positional asymmetries of young children with functional unilateral posterior crossbite. *American Journal of Orthodontics and Dentofacial Orthopedics* 2001;120(5):513-520.
- (37) Hanke BA, Motschall E, Türp JC. Association between orthopedic and dental findings: what level of evidence is available? *Journal of Orofacial Orthopedics/Fortschritte der Kieferorthopädie* 2007;68(2):91-107.
- (38) Huggare J, Pirttiniemi P, Serlo W. Head posture and dentofacial morphology in subjects treated for scoliosis. *Proc Finn Dent Soc* 1991;87(1):151-158.
- (39) D'Attilio M, Caputi S, Epifania E, Festa F, Tecco S. Evaluation of cervical posture of children in skeletal class I, II, and III. *CRANIO®* 2005;23(3):219-228.
- (40) Okeson JP. *Orofacial pain: guidelines for assessment, diagnosis, and management.* : Quintessence Chicago; 1996.

- (41) Sonnesen L, Bakke M, Solow B. Temporomandibular disorders in relation to craniofacial dimensions, head posture and bite force in children selected for orthodontic treatment. *Eur J Orthod* 2001 Apr;23(2):179-192.
- (42) Larsson E. Dummy- and finger-sucking habits with special attention to their significance for facial growth and occlusion. 1. Incidence study. *Sven Tandlak Tidskr* 1971 Oct;64(10):667-672.
- (43) Proffit WR, Fields HW, Nixon WL. Occlusal forces in normal- and long-face adults. *J Dent Res* 1983 May;62(5):566-570.
- (44) Kritsineli M, Shim YS. Malocclusion, body posture, and temporomandibular disorder in children with primary and mixed dentition. *J Clin Pediatr Dent* 1992 Winter;16(2):86-93.
- (45) Hackney J, Bade D, Clawson A. Relationship between forward head posture and diagnosed internal derangement of the temporomandibular joint. *J Orofac Pain* 1993;7(4).
- (46) Sonnesen L, Bakke M, Solow B. Malocclusion traits and symptoms and signs of temporomandibular disorders in children with severe malocclusion. *Eur J Orthod* 1998 Oct;20(5):543-559.
- (47) Riolo ML, Brandt D, TenHave TR. Associations between occlusal characteristics and signs and symptoms of TMJ dysfunction in children and young adults. *American Journal of Orthodontics and Dentofacial Orthopedics* 1987;92(6):467-477.
- (48) An J, Jeon D, Jung W, Yang I, Lim WH, Ahn S. Influence of temporomandibular joint disc displacement on craniocervical posture and hyoid bone position. *American Journal of Orthodontics and Dentofacial Orthopedics* 2015;147(1):72-79.
- (49) Adamidis IP, Spyropoulos MN. Hyoid bone position and orientation in Class I and Class III malocclusions. *American Journal of Orthodontics and Dentofacial Orthopedics* 1992;101(4):308-312.
- (50) Yamaoka M, Furusawa K, Uematsu T, Okafuji N, Kayamoto D, Kurihara S. Relationship of the hyoid bone and posterior surface of the tongue in prognathism and micrognathia. *J Oral Rehabil* 2003;30(9):914-920.
- (51) Issa FG, Edwards P, Szeto E, Lauff D, Sullivan C. Genioglossus and breathing responses to airway occlusion: effect of sleep and route of occlusion. *J Appl Physiol* (1985) 1988 Feb;64(2):543-549.
- (52) Bracco P, Deregibus A, Piscetta R. Effects of different jaw relations on postural stability in human subjects. *Neurosci Lett* 2004;356(3):228-230.
- (53) Gangloff P, Louis J, Perrin PP. Dental occlusion modifies gaze and posture stabilization in human subjects. *Neurosci Lett* 2000;293(3):203-206.
- (54) Michelotti A, Buonocore G, Farella M, Pellegrino G, Piergentili C, Altobelli S, et al. Postural stability and unilateral posterior crossbite: is there a relationship? *Neurosci Lett* 2006;392(1):140-144.
- (55) Sharifi Milani R, Deville de Periere D, Micallef JP. Relationship between dental occlusion and visual focusing. *Cranio* 1998 Apr;16(2):109-118.
- (56) Monaco A, Streni O, Marci MC, Sabetti L, Giannoni M. Convergence defects in patients with temporomandibular disorders. *Cranio* 2003 Jul;21(3):190-195.